

SCHRIFTENVERZEICHNIS

Originalarbeiten

Botulinum Toxins for Aesthetic Facial Injections - A scientific review to support evidence-based best practice.

Philipp-Dormston WG, Bertossi D, Houschyar K, Rahman E.

Facial Plast Surg. 2022 Jan 4. doi: 10.1055/a-1730-8270.

[Impact factor: 1.108], [Surgery Q3]

Stevens-Johnson syndrome and toxic epidermal necrolysis: a 10-year experience in a burns unit.

Houschyar KS, Tapking C, Borrelli MR, Nietzsche I, Puladi B, Ooms M, Rein S, Houschyar M, Duscher D, Maan ZN, Reumuth G, Branski LK, Modabber A, Kluwig D, Schmitt L, Philipp-Dormston WG, Yazdi AS, Siemers F.

J Wound Care. 2021 Jun 2;30(6):492-496.

[Impact factor: 1.798], [Fundamentals and Skills Q2]

Repetitive Daylight Photodynamic Therapy versus Cryosurgery for Prevention of Actinic Keratoses in Photodamaged Facial Skin: A Prospective, Randomized Controlled Multicentre Two-armed Study.

Karrer S, Szeimies RM, Philipp-Dormston WG, Gerber PA, Prager W, Datz E, Zeman F, Müller K, Koller M.

Acta Derm Venereol. 2020 Dec 14.

[Impact factor: 3.453], [Dermatology Q1]

Decision criteria and patient characteristics for patient-oriented treatment of field cancerization : Standardized algorithm for personalized treatment concepts.

Philipp-Dormston WG, Aschoff R, von Braunmühl T, Eigentler T, Haalck T, Thoms KM.

Hautarzt. 2020 Dec 2. doi: 10.1007/s00105-020-04731-y.

[Impact factor: 0.682], [Dermatology Q3]

OnabotulinumtoxinA Displays Greater Biological Activity Compared to IncobotulinumtoxinA, Demonstrating Non-Interchangeability in Both In Vitro and In Vivo Assays.

Rupp D, Nicholson G, Canty D, Wang J, Rhéaume C, Le L, Steward LE, Washburn M, Jacky BP, Broide RS, Philipp-Dormston WG, Brin MF, Brideau-Andersen A.

Toxins (Basel). 2020 Jun 13;12(6):E393.

[Impact factor: 3.710], [Health, Toxicology and Mutagenesis, Q1]

Safety guidelines for nonsurgical facial procedures during COVID-19 outbreak.
Bertossi D, Mohsahebi A, *Philipp-Dormston WG*, Heidenrich I, Pirayesh A, D'Souza A, Saleh H, Yavuzer R, Fakh N, Vent J, Rahman E, Kapoor KM. *J Cosmet Dermatol*. 2020 Jun 7:10.

[Impact factor: 1.940], [Dermatology Q2]

Thiamidol containing treatment regimens in facial hyperpigmentation: An international multi-center approach consisting of a double-blind, controlled, split-face study and of an open label, real-world study.

Philipp-Dormston WG, Vila Echagüe A, Pérez Damonte SH, Riedel J, Filbry A, Warnke K, Lofrano C, Roggenkamp D, Nippel G.

Int J Cosmet Sci. 2020 May 10.

[Impact factor: 1.905], [Chemistry Q2]

VYC-25L Hyaluronic Acid Injectable Gel is Safe and Effective for Long-Term Restoration and Creation of Volume of the Lower Face.

Ogilvie P, Benouaiche L, *Philipp-Dormston WG*, Belhaouari L, Gaymans F, Sattler G, Harvey C, Schumacher A.

Aesthet Surg J. 2020 Jan 21.

[Impact factor: 3.034], [Medicine Q1]

Follow-up results of a randomized, double-blind, phase III, multi-center study to evaluate the safety and efficacy of BF-200 ALA versus placebo in field-directed treatment of mild to moderate AK with photodynamic therapy when using narrowband red light

Reinhold U, Dirschka T, Ostendorf R, Aschoff R, Berking C, *Philipp-Dormston WG*, Szeimies RM.

Skin, 2019 Nov 9.

Perceived naturalness of facial expression after hyaluronic acid filler injection in nasolabial folds and lower face.

Philipp-Dormston WG, Schuster B, Podda M.

J Cosmet Dermatol. 2019 Nov 6.

[Impact factor: 1.940], [Dermatology Q2]

Delayed hypersensitivity reaction to hyaluronic acid dermal filler following influenza-like illness.

Turkmani MG, De Boule K, *Philipp-Dormston WG*.

Clin Cosmet Investig Dermatol. 2019 Apr 29;12:277-283.

[Impact factor: 1.907], [Dermatology Q2]

Interest in Skin Cancer in Urban Populations: A Retrospective Analysis of Google Search Terms in Nine Large German Cities.

Tizek L, Schielein MC, R uth M, Szeimies RM, *Philipp-Dormston WG*, Braun SA, Hecker C, Eberlein B, Biedermann T, Zink A.

Acta Derm Venereol. 2019 Jul 1;99(9):797-804.

[Impact factor: 3.453], [Dermatology Q1]

Medical needs and major complaints related to pruritus in Germany: a 4-year retrospective analysis using Google AdWords Keyword Planner.

Zink A, Schuster B, R uth M, Pereira MP, *Philipp-Dormston WG*, Biedermann T, St ander S. J Eur Acad Dermatol Venereol. 2019 Jan;33(1):151-156.

[Impact factor: 5.548], [Dermatology Q1]

Patient-reported health outcomes in patients with non-melanoma skin cancer and actinic keratosis: results from a large-scale observational study analysing effects of diagnoses and disease progression.

Philipp-Dormston WG, M uller K, Novak B, Str omer K, Termeer C, Hammann U, Glutsch JW, Kr ahn-Senftleben G, L ubbert H, Koller M, Szeimies RM; NMSC-QoL Study Group.

J Eur Acad Dermatol Venereol. 2018 Jul;32(7):1138-1146.

[Impact factor: 5.548], [Dermatology Q1]

Evaluating Perceived Naturalness of Facial Expression After Fillers to the Nasolabial Folds and Lower Face With Standardized Video and Photography.

Philipp-Dormston WG, Wong C, Schuster B, Larsson MK, Podda M.

Dermatol Surg. 2018 Jun;44(6):826-832.

[Impact factor: 2.053], [Dermatology Q1]

Daylight photodynamic therapy versus cryosurgery for the treatment and prophylaxis of actinic keratoses of the face - protocol of a multicenter, prospective, randomized, controlled, two-armed study.

Kohl E, Koller M, Zeman F, Szeimies RM, *Philipp-Dormston WG*, Prager W, Gerber PA, Karrer S.

BMC Dermatol. 2017 Oct 25;17(1):12.

[Impact factor: 1.87], [Dermatology Q1]

Intracranial Penetration During Temporal Soft Tissue Filler Injection-Is It Possible?

Philipp-Dormston WG, Bieler L, Hessenberger M, Schenck TL, Frank K, Fierlbeck J, Cotofana S.

Dermatol Surg. 2018 Jan;44(1):84-91.

[Impact factor: 2.053], [Dermatology Q1]

A Prospective, Open-Label, Observational, Postmarket Study Evaluating VYC-17.5L for the Correction of Moderate to Severe Nasolabial Folds Over 12 Months.

Sattler G, *Philipp-Dormston WG*, Van Den Elzen H, Van Der Walt C, Nathan M, Kolodziejczyk J, Kerson G, Dhillon B.

Dermatol Surg. 2017 Feb;43(2):238-245.

[Impact factor: 2.053], [Dermatology Q1]

A randomized, double-blind, phase III, multicentre study to evaluate the safety and efficacy of BF-200 ALA (Ameluz®) vs. placebo in the field-directed treatment of mild-to-moderate actinic keratosis with photodynamic therapy (PDT) when using the BF-RhodoLED® lamp.

Reinhold U, Dirschka T, Ostendorf R, Aschoff R, Berking C, *Philipp-Dormston WG*, Hahn S, Lau K, Jäger A, Schmitz B, Lübbert H, Szeimies RM.

Br J Dermatol. 2016 Oct;175(4):696-705.

[Impact factor: 7.211], [Dermatology Q1]

A prospective, observational study of the volumizing effect of open-label aesthetic use of Juvéderm® VOLUMA® with Lidocaine in mid-face area.

Philipp-Dormston WG, Eccleston D, De Boule K, Hilton S, van den Elzen H, Nathan M.

J Cosmet Laser Ther. 2014 Aug;16(4):171-9.

[Impact factor: 1.315], [Dermatology Q2]

Controversies in aesthetic medicine the frame conditions 5: The importance of prevention and postvention for the future of aesthetics

Brandl D, Funke G, *Philipp-Dormston WG*.

Kosmetische Medizin. 2014 May.

A randomised, double-blind comparison of 20 units of onabotulinumtoxinA with 30 units of incobotulinumtoxinA for glabellar lines.

Moers-Carpi M, Dirschka T, Feller-Heppt G, Hilton S, Hoffmann K, *Philipp-Dormston WG*, Rütter A, Tan K, Chapman MA, Fulford-Smith A.

J Cosmet Laser Ther. 2012 Dec;14(6):296-303.

[Impact factor: 1.315], [Dermatology Q2]

Botulinum toxin type A treatment to the upper face: retrospective analysis of daily practice.

Prager W, Huber-Vorländer J, Taufig AZ, Imhof M, Kühne U, Weissberg R, Kuhr LP, Rippmann V, *Philipp-Dormston WG*, Proebstle TM, Roth C, Kerscher M, Ulmann C, Pavicic T.

Clin Cosmet Investig Dermatol. 2012;5:53-8.
[Impact factor: 1.907], [Dermatology Q2]

Consensus-Publikationen (Originalarbeiten, Systematische Reviews, Empfehlungen)

Development of Objective Structured Assessment of Technical Skills in Facial Cosmetic Procedures: Botulinum Toxin Neuromodulator and Soft Tissue Filler Injection.

Suoizzi KC, Kibbi N, Lee KC, Worley B, Furlan KC, Kang BY, Ibrahim SA, Poon E, Alam M; Cosmetic Education Work Group. Cosmetic Education Work Group, Harikumar V, Keimig EL, Alster TS, Bolotin D, Dover JS, Galadari H, Goodman GJ, Hexsel D, Kaminer MS, Kim JYS, Karen J, Lask G, Lewis AB, Maher IA, Paul BC, Negishi K, Touma DJ, Waldman A, Beer K, Bertucci V, Burgess CM, Casabona G, De Bouille KL, Fitzgerald R, Green JB, Goldman MP, Humphrey S, Ibrahim SF, Ibrahim OA, Jagdeo J, Kim HS, Lawrence N, Marmur E, Matarasso SL, McDonald M, Obagi S, Ortiz AE, *Philipp-Dormston WG*, Rossi AM, Solish N, Taylor SC, Trindade de Almeida AR, Weinkle SH. J Am Acad Dermatol. 2021 Sep 6:S0190-9622(21)02440-3.

[Impact factor: 11.527], [Dermatology Q1]

Global Approaches to the Prevention and Management of Delayed-onset Adverse Reactions with Hyaluronic Acid-based Fillers.

Philipp-Dormston WG, Goodman GJ, De Bouille K, Swift A, Delorenzi C, Jones D, Heydenrych I, Trindade De Almeida A, Batniji RK.

Plast Reconstr Surg Glob Open. 2020 Apr 29;8(4): e2730

OnabotulinumtoxinA Treatment for Moderate to Severe Forehead Lines: A Review.

De Bouille K, Carruthers A, Solish N, Carruthers J, *Philipp-Dormston WG*, Fagien S, Sangha S, Silberberg M, Mao C.

Plast Reconstr Surg Glob Open. 2020 Mar 20;8(3):e2669.

Patient-centered management of actinic keratosis. Results of a multi-center clinical consensus analyzing non-melanoma skin cancer patient profiles and field-treatment strategies.

Philipp-Dormston WG, Battistella M, Boussemart L, Di Stefani A, Broganelli P, Thoms KM. J Dermatolog Treat. 2019 Oct 23:1-7.

[Impact factor: 2.140], [Dermatology Q1]

Chronically light-damaged skin – results of an expert conference

Buntrock H, Kerscher, Peter M, Gerber A, Hund M, da Mota A, da Mota R, *Philipp-Dormston WG*, Waibl M, Szeimies RM
Kosmetische Medizin. 2019 4.19; 2-8.

Consensus statement on prevention and management of adverse effects following rejuvenation procedures with hyaluronic acid-based fillers.

Philipp-Dormston WG, Bergfeld D, Sommer BM, Sattler G, Cotofana S, Snozzi P, Wollina U, Hoffmann KPJ, Salavastru C, Fritz K.

J Eur Acad Dermatol Venereol. 2017 Jul;31(7):1088-1095.

[Impact factor: 5.548], [Dermatology Q1]

Daylight photodynamic therapy with MAL cream for large-scale photodamaged skin based on the concept of 'actinic field damage': recommendations of an international expert group.

Philipp-Dormston WG, Sanclemente G, Torezan L, Tretti Clementoni M, Le Pillouer-Prost A, Cartier H, Szeimies RM, Bjerring P.

J Eur Acad Dermatol Venereol. 2016 Jan;30(1):8-15.

[Impact factor: 5.548], [Dermatology Q1]

Daylight PDT with MAL - current data and practical recommendations of an expert panel.

Philipp-Dormston WG, Karrer S, Petering H, Ulrich C, Dirschka T, Berking C, Lonsdorf AS, Gerber PA, Radakovic S, Hunger RE, Szeimies RM.

J Dtsch Dermatol Ges. 2015 Dec;13(12):1240-9.

[Impact factor: 1.527], [Dermatology Q3]

Photodynamic therapy for skin rejuvenation: treatment options - results of a consensus conference of an expert group for aesthetic photodynamic therapy.

Szeimies RM, Lischner S, *Philipp-Dormston W*, Walker T, Hiepe-Wegener D, Feise K, Podda M, Prager W, Kohl E, Karrer S.

J Dtsch Dermatol Ges. 2013 Jul;11(7):632-6.

[Impact factor: 1.527], [Dermatology Q3]

Photodynamic therapy for skin rejuvenation: review and summary of the literature-- results of a consensus conference of an expert group for aesthetic photodynamic therapy.

Karrer S, Kohl E, Feise K, Hiepe-Wegener D, Lischner S, *Philipp-Dormston W*, Podda M, Prager W, Walker T, Szeimies RM.

J Dtsch Dermatol Ges. 2013 Feb;11(2):137-48.

[Impact factor: 1.527], [Dermatology Q3]

Consensus recommendations on the use of onabotulinumtoxin A in aesthetic medicine
Philipp-Dormston WG, Bergfeld D, Sommer Boris, the Onabotulinumtoxin Consensus Group.

J Dtsch Dermatol Ges. 2013 Jan;11(s1):1-42.

[Impact factor: 1.527], [Dermatology Q3]

Übersichtsarbeiten

Wnt ligand expression in malignant melanoma: new insights

Houschyar KS, Borrelli MR, Rein S, Tapking C, Popp D, Puladi B, Ooms M, Schulz T, Maan Z, Branski LK, Siemers F, *Philipp-Dormston WG*, Yazdi AS, Duscher D.

Eur J Plast Surg (2022).

Stevens-Johnson syndrome and toxic epidermal necrolysis: a systematic review and meta-analysis.

Houschyar KS, Tapking C, Borrelli MR, Puladi B, Ooms M, Wallner C, Duscher D, Pöfrringer D, Rein S, Reumuth G, Schulz T, Nietzsche I, Maan ZN, Grieb G, *Philipp-Dormston WG*, Branski LK, Siemers F, Lehnhardt M, Schmitt L, Yazdi AS.

J Wound Care. 2021 Dec 2;30(12):1012-1019.

[Impact factor: 1.798], [Fundamentals and Skills Q2]

Immunomodulatory Drugs Alone and Adjuvant to Surgery for Hidradenitis Suppurativa/
Acne Inversa - A Narrative Review

Wollina U, Brzezinski P, Koch A, *Philipp-Dormston WG*

Dermatol Ther. 2020 Jun 19;e13877.

[Impact factor: 2.388], [Dermatology Q2]

Challenges in Clinical Research and Care in Pruritus.

Pereira MP, Zeidler C, Storck M, Agelopoulos K, *Philipp-Dormston WG*, Zink A, Ständer S.

Acta Derm Venereol. 2020 Jan 7;100(2).

[Impact factor: 3.453], [Dermatology Q1]

Photodynamische Therapie: Verschiedene Wellenlängen sind nur eventuell vergleichbar
effektiv bei Basalzellkarzinomen

Philipp-Dormston WG.

Karger Kompass Dermatol 2019;7:190-192

Chemical peeling in dermatology.

Philipp-Dormston WG.

Hautarzt. 2019 Jul;70(7):535-546

[Impact factor: 0.682], [Dermatology Q3]

Hyaluronsäure-Filler. Wangen erhalten wieder Volumen.

Philipp-Dormston WG.

Der Deutsche Dermatologe, 2019 Feb.

Hyaluronic acid fillers in dermatology.

Philipp-Dormston WG.

Hautarzt. 2018 Jun;69(6):491-509.

[Impact factor: 0.682], [Dermatology Q3]

Adipose tissue, fillers, and skin tightening.

Wollina U, Goldman A, Abdel-Naser MB, *Philipp-Dormston WG.*

Dermatol Ther. 2018 Sep 2

[Impact factor: 2.388], [Dermatology Q2]

Hyaluron-Filler in der Dermatologie

Philipp-Dormston WG

Ästhetische Dermatologie & Kosmetologie. 2018 Apr.

Photodynamic therapy for aesthetic-cosmetic indications.

Philipp-Dormston WG.

G Ital Dermatol Venereol. 2018 Dec;153(6):817-826.

[Impact factor: 1.011], [Dermatology Q3]

Die Bedeutung von Cosmeceuticals für die ästhetische Praxis

Brandl D., *Philipp-Dormston WG*

Haut. 2015 Jan 6.

Botulinumtoxin in der Dermatologie

Philipp-Dormston WG

Ästhetische Dermatologie & Kosmetologie. 2014 6: 24-34.

A prospective, open-label, multicenter, observational, postmarket study of the use of a 15 mg/mL hyaluronic acid dermal filler in the lips.

Philipp-Dormston WG, Hilton S, Nathan M.
J Cosmet Dermatol. 2014 Jun;13(2):125-34.
[Impact factor: 1.940], [Dermatology Q2]

Botulinum toxin in dermatology.
Philipp-Dormston WG.
Hautarzt. 2014 Feb;65(2):133-43.
[Impact factor: 0.682], [Dermatology Q3]

Professionelles Schmerzmanagement bei der Photodynamischen Therapie.
Philipp-Dormston WG.
Ästhetische Dermatologie 3; 2012.

Kasuistiken

Reversal of Post-filler Vision Loss and Skin Ischaemia with High-Dose Pulsed Hyaluronidase Injections.
Wibowo A, Kapoor KM, *Philipp-Dormston WG.*
Aesthetic Plast Surg. 2019 Oct;43(5):1337-1344.
[Impact factor: 1.625], [Surgery Q2]

Therapie einer AK-Feldkanzerisierung mit Metvix-Tageslicht-PDT bei einem Patienten mit Schmerzerfahrung unter konventioneller PDT
Philipp-Dormston WG.
Thieme Case Report. 2016; 8 (7): 1-12.

Topical treatment of bullous pemphigoid with tacrolimus. Case report with brief literature review.
Wenzel J, *Philipp-Dormston W, Bieber T, Tüting T.*
J Dtsch Dermatol Ges. 2005 Mar;3(3):207-10.
[Impact factor: 1.527], [Dermatology Q3]

Successful treatment of Dowling-Degos disease with Er:YAG laser.
Wenzel J, Tappe K, Gerdson R, Uerlich M, *Philipp-Dormston W, Bieber T, Petrow W.*
Dermatol Surg. 2002 Aug;28(8):748-50.
[Impact factor: 2.053], [Dermatology Q2]

Bücher und Buchbeiträge

Botulinumtoxin in der ästhetischen Medizin

1 Entwicklung des Medikamentes Botulinumtoxin: Geschichte und Gegenwart

1.1. Geschichte der klinischen Anwendung von Botulinumtoxin

Wolfgang G. Philipp-Dormston

1.2 Botulinum-Therapie in der Neurologie

Wolfgang G. Philipp-Dormston

1.4 Botulinum-Therapie in der Dermatologie

Wolfgang G. Philipp-Dormston

1.5 Botulinum-Therapie in anderen Fachdisziplinen

Wolfgang G. Philipp-Dormston

2 Grundlagen und Pharmakologie des Botulinumtoxins

Wolfgang G. Philipp-Dormston

3 Kosmetische Indikationen nach Region

3.2 Augenbrauen

Wolfgang G. Philipp-Dormston und Boris Sommer

3.3 Periorbitale Falten

Wolfgang G. Philipp-Dormston und Boris Sommer

3.4 Infraorbitalregion

Wolfgang G. Philipp-Dormston und Boris Sommer

THIEME, Georg Thieme Verlag KG, Germany

6. aktualisierte Auflage 2020

Editors: Sommer B, Sattler G, Bergfeldt D

ISBN 978-3-13-243350-2. Published Dec 14, 2020

Aesthetic Facial Anatomy Essentials for Injections

Botulinum Toxins

Massimo Signorini, Alastair Carruthers, Laura Bertolasi, Neil Sadick, *Wolfgang G. Philipp-Dormston* and Dario Bertossi

CRC Press, Taylor and Francis Group, USA

Editors: Ali Pirayesh (Netherlands), Dario Bertossi (Italy), Izolda Heydenrych (South Africa)

ISBN 9781138505728. Published May 6, 2020

Cosmetic Medicine & Surgery

Cosmetic Botulinum Toxin Treatment

Christopher M.E. Rowland Payne and *Wolfgang G. Philipp-Dormston*

CRC Press, Taylor and Francis Group, USA

Editors: André P. (Paris, France), Haneke E. (Bern, Switzerland), Marini L. (Trieste, Italy),
Payne C.R. (London, UK)

ISBN: 1482256800. Published Jan 27, 2017

Current Problems in Dermatology - Actinic Keratosis

Field cancerization: from molecular basis to selective field-directed management of
actinic keratosis.

Wolfgang G. Philipp-Dormston

KARGER PUBLISHERS, SWITZERLAND

Editors: Soyer, H.P. (Brisbane), Prow, T.W. (Brisbane), Jemec, G.B.E. (Roskilde)

ISBN: 978318027624. Published 2015

Wissenschaftliche Poster

VYC-25L Hyaluronic Acid for Chin and Jaw Restoration: 18-Month Safety and
Effectiveness Results Patricia Ogilvie, MD ; Laurence Benouaiche, MD, PhD ; *Wolfgang
Philipp-Dormston*, MD ; Lakhdar Belhaouari, MD ; Frodo Gaymans, MD ; Candice Harvey,
BSc ; Andrew Schumacher, PhD

Presented at the Anti-Aging Medicine World Congress, 4–6 April, 2019, Monte Carlo,
Monaco

VYC-25L Hyaluronic Acid for Chin and Jaw Restoration: 18-Month Safety and
Effectiveness Results Patricia Ogilvie, MD ; Laurence Benouaiche, MD, PhD ; *Wolfgang
Philipp-Dormston*, MD ; Lakhdar Belhaouari, MD ; Frodo Gaymans, MD ; Candice Harvey,
BSc ; Andrew Schumacher, PhD

Presented on behalf of the authors by: Jaffer Khan, MBBS, FRCSI, FRCS (plast) FACS at
Aesthetics International 2019, Dubai, United Arab Emirates

Perceived Naturalness of Facial Expressions Following Treatment in the Lower Face with
Fillers

Wolfgang G Philipp-Dormston, MD; Bernard Schuster, MD; Sara Björkman, MSc Pharm;
Maurizio Podda, MD, PhD; & Jessica Brown, PharmD

Presented at the American Academy of Facial Plastic and Reconstructive Surgery Annual
Meeting, 2017, Phoenix, USA

Perceived naturalness of facial expression following fillers in the nasolabial folds and lower face wrinkles

Philipp-Dormston WG, Wong C, Schuster B, Larsson MK, Podda M.

Presented at IMCAS Annual World Congress 2018, Paris, France.

Perceived Naturalness of Facial Expressions Following Treatment in the Lower Face with Fillers

Wolfgang G Philipp-Dormston, MD, Maurizio Podda, MD, Sara Björkman, MSc Pharm, Bernd Schuster, MD

Presented at Anti-Aging Medicine World Congress, 6-8 April, 2017, Monaco.

A prospective, multi-centre post-market study evaluating correction of nasolabial folds (NLFs) with Juvéderm™ Volift® with Lidocaine

Philipp-Dormston W, Van den Elzen H, Sattler G and Nathan M

Presented at 1st AMEC – 1st Anti-aging Medicine European Congress, Aesthetic Dermatology, Plastic and Cosmetic Surgery, Anti-Aging Medicine, 11–12 October 2013, Paris, France.

A Prospective, Open-label, Multi-centre, Observational, Post-market Study of the Use of 15mg/ml of hyaluronic acid, cross-linked via an innovative technology, with Lidocaine in the lips

Wolfgang G Philipp-Dormston, Said Hilton, Myooran Nathan

Presented at 15th International Master Course on Aging Skin (IMCAS). 31 January – 3 February 2013, Paris, France.

A Multicenter, Randomised, Double-Blind Study to Evaluate the Efficacy of 20 Units of OnabotulinumtoxinA in the Treatment of Glabellar Lines, When Compared to 30 Units of IncobotulinumtoxinA

Marion Moers-Carpi, MD; Thomas Dirschka, MD; Gabrielle Feller-Heppt, MD; Said Hilton, MD; Klaus Hoffmann, MD; Wolfgang G. Philipp-Dormston, MD; Anita Rütter, MD; Kelvin Tan, MB, BCh; Antony Fulford-Smith, MB, BS

Presented at the 10th Anti-Aging Medicine World Congress, March 29-31, 2012, Monte Carlo, Monaco.

A Multicenter, Randomised, Double-Blind Study to Evaluate the Efficacy of 20 Units of OnabotulinumtoxinA in the Treatment of Glabellar Lines, When Compared to 30 Units of IncobotulinumtoxinA

Marion Moers-Carpi, MD; Thomas Dirschka, MD; Gabrielle Feller-Heppt, MD; Said Hilton, MD; Klaus Hoffmann, MD; Wolfgang G. Philipp-Dormston, MD; Anita Rütter, MD; Kelvin Tan, MB, BCh; Antony Fulford-Smith, MB, BS

Presented at the 7th European Masters in Aesthetic and Anti-Aging Medicine (EMAA). September 30 – October 1, 2011. Paris, France.